





## OUR STORY

---

### WHAT IS TERRAMOTUS?

TerraMotus comes from 2 latin words.

**Terra** [ter´uh] meaning earth or land.

**Motus** [mo´tus] meaning motion or movement.

## ABOUT US

TerraMotus is the sum of 33 years of industry leading experience to provide professional automotive chemical maintenance solutions to the auto repair, car dealership and transportation industry.

**“Engineered chemistry for everything that moves us on earth”**



4



16



24

# TABLE OF CONTENTS

-  3 | CONTENTS
-  4 | FUEL
-  10 | DIESEL
-  14 | COOLING
-  16 | HVAC & CABIN
-  18 | TRANSMISSION
-  20 | DRIVELINE
-  22 | BRAKES
-  24 | ENGINE
-  26 | STEERING
-  29 | BATTERY
-  30 | SPECIALTY
-  31 | PROTECTION
-  32 | EQUIPMENT



# FUEL PRODUCTS

## RESTORES POWER & EFFICIENCY



## FUEL INJECTOR PURGE

TerraMotus Fuel System Purge is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1210 11.9 OZ. (352 ML) AEROSOL



## FUEL SYSTEM DCARB

TerraMotus Fuel System Dcarb is a highly advanced specially formulated cleaning product for fuel injectors, combustion chambers, intake valves, and intake systems.

Helps maintain O2 sensor and catalytic converter performance.

Use with TerraMotus Fuel Service Machine or other fuel service apparatus. Available as Step2 in our TM1200 DCarb Kit for a full system decarbonization.





## FUEL INJECTOR PURGE

TerraMotus Fuel System Purge is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1410 6.2 OZ. (183 ML) AEROSOL



## FUEL SYSTEM DCARB

Terramotus Fuel System Dcarb is a highly advanced specially formulated cleaning product for fuel injectors, combustion chambers, intake valves, and intake systems.

Helps maintain O2 sensor and catalytic converter performance.

Use with TerraMotus Fuel Service Machine or other fuel service apparatus

PN° TM1420 5.6 OZ. (165 ML) AEROSOL



## FUEL INJECTOR PURGE

TerraMotus Fuel System Purge is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1210P 12 FL OZ. (355 ML) BOTTLE



## FUEL SYSTEM DCARB

Terramotus Fuel System Dcarb is a highly advanced specially formulated cleaning product for fuel injectors, combustion chambers, intake valves, and intake systems.

Helps maintain O2 sensor and catalytic converter performance.

Use with TerraMotus Fuel Service Machine or other fuel service apparatus. Available as Step2 in our TM1200P DCarb Kit for a full system decarbonization.

PN° TM1220P 12 FL. OZ. (355 ML) BOTTLE





# FUEL PRODUCTS

## RESTORES POWER & EFFICIENCY

The fuel delivery system is an integral part of your vehicle maintenance. TerraMotus carries a full range of products for your various fuel system cleaning needs from next generation additives to industrial strength cleaners.



### CONCENTRATED FUEL TREATMENT

TerraMotus Concentrated Fuel Treatment is a premium quality fuel treatment that boosts the performance and stability of any fuel it is added to.

It yields maximum engine performance, fuel economy, emissions reduction, wear protection, and fuel storage stability, for all types of engines.

TerraMotus Concentrated Fuel Treatment eliminates water.

**PN° TM1270 6 FL. OZ. (177 ML) BOTTLE**



### PT78 FUEL SYSTEM CLEANER

This premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning.

Add one bottle to quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers. For use in all gasoline fuel systems including new Direct Injection (GDI) Systems.

**PN° TM1235 12 FL. OZ. (355 ML) BOTTLE**



### INDUCTION SYSTEM + VALVE CLEANER

This dual purpose, fast-acting NEW Proprietary Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine. Designed to be introduced into the induction system using a vacuum or high pressure fogger tool. This product cleans and removes varnish and carbon build-up in the intake and induction system. It is an excellent "top engine" formulation designed to remove carbon from the combustion chamber, resulting in improved fuel combustion, better engine performance, and better fuel economy. For use in all fuel systems.

**PN° TM1425 12 FL. OZ. (355 ML) BOTTLE**





## INTAKE VALVE KIT

Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers. For use in all gasoline fuel systems including new Direct Injection (GDI) Systems.

This dual purpose, fast-acting NEW Proprietary Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine. Designed to be introduced into the induction system using a vacuum or high pressure fogger tool.

PN° TM1225 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE



## PURGE & DCARB KIT

TerraMotus Fuel System Purge & DCarb is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1200P 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE



## PURGE & DCARB CFT KIT



TerraMotus Fuel System Purge & DCarb CFT Kit is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1202P 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE  
6 FL. OZ. (177 ML) BOTTLE





# FUEL KITS

---

## FUEL SYSTEM KITS



OPTIONAL



## PURGE & DCARB KIT

TerraMotus Fuel System Purge & DCarb Kit is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1200 11.9 OZ. (352 ML) AEROSOL  
10.8 OZ. (319 ML) AEROSOL



PN° TM1400 6.2 OZ. (183 ML) AEROSOL  
5.6 OZ. (165 ML) AEROSOL



## PURGE & DCARB CFT KIT

TerraMotus Fuel System Purge & DCarb CFT Kit is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1202 11.9 OZ. (352 ML) AEROSOL  
10.8 OZ. (319 ML) AEROSOL  
6 FL. OZ. (177 ML) BOTTLE



OPTIONAL



PN° TM1402 6.2 OZ. (183 ML) AEROSOL  
5.6 OZ. (165 ML) AEROSOL  
6 FL. OZ. (177 ML) BOTTLE







## PURGE & DCARB PLATINUM KIT

TerraMotus Fuel System Purge & DCarb Platinum Kit is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1212P 12 FL. OZ. (355 ML) BOTTLE  
 12 FL. OZ. (355 ML) BOTTLE  
 12 FL. OZ. (355 ML) BOTTLE



## PURGE & DCARB PLATINUM KIT

TerraMotus Fuel System Purge & DCarb Platinum Kit is a highly advanced specially formulated cleaning product for Fuel Injectors, Throttle Plates, Air Intakes, Intake Valves and Valve Deposits on GDi engines. Our premium fast-acting NEW Synthetic Polymer Amine Technology was developed by the founding father of Polyetheramine for professional fuel rail and injector cleaning. Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. Restores engine power lost due to dirty injectors and fouled combustion chambers.

PN° TM1212 11.9 OZ. (352 ML) AEROSOL  
 10.8 OZ. (355 ML) AEROSOL  
 12 FL. OZ. (355 ML) BOTTLE



OPTIONAL

PN° TM1412 6.2 OZ. (183 ML) AEROSOL  
 5.6 OZ. (165 ML) AEROSOL  
 12 FL. OZ. (355 ML) BOTTLE



## FUEL INJECTORS



BEFORE



AFTER

## INTAKE VALVES



BEFORE



AFTER

## AIR INTAKE



BEFORE




AFTER



# DIESEL PRODUCTS

## DIESEL POWER & EFFICIENCY



### DIESEL FUEL MULTI TREATMENT

TerraMotus Diesel Fuel Multi-Treatment is a premium winter time diesel fuel protection and fuel quality enhancer. Using advanced technology that modifies wax crystals into shapes that will more easily pass through modern fuel filters. It also contains anti-icing inhibitor which lowers the freezing point of water.

TerraMotus Diesel Fuel Multi-Treatment keeps fuel liquid and flowing in cold weather, even after prolonged cold spells.

PN° TM1250 12 FL. OZ. (355 ML) BOTTLE



### DIESEL FUEL INJECTOR CLEANER + CETANE BOOSTER

TerraMotus Diesel Fuel Injector Cleaner + Cetane Booster is a premium quality fuel treatment which boosts the performance and stability of any diesel fuel it is added to. Diesel fuel treated, yields maximum engine performance, fuel economy, emissions reduction, wear protection and fuel storage stability, for all types of diesel engines. Lifts the cetane value of the base fuel by 3 to 6 numbers, which greatly improves combustion, increases performance and power, and reduces emissions.

PN° TM1255 12 FL. OZ. (355 ML) BOTTLE



## DIESEL PURGE

TerraMotus Diesel Purge is a concentrated diesel detergent specially formulated to clean diesel fuel rails, pumps and injectors.

Our highly advanced concentrated formula improves fuel economy, restores performance and lowers emissions.

Use with TerraMotus Fuel Service Machine or other Apparatus to effectively remove Carbon, Varnish and soot. Requires no mixing with diesel fuel.

**PN° TM1215 32 FL. OZ. (946 ML) BOTTLE**



## DIESEL FUEL INJECTOR CLEANER + CETANE BOOSTER

TerraMotus Diesel Fuel Injector Cleaner + Cetane Booster is a premium quality fuel treatment which boosts the performance and stability of any diesel fuel it is added to. Diesel fuel treated, yields maximum engine performance, fuel economy, emissions reduction, wear protection and fuel storage stability, for all types of diesel engines. Lifts the cetane value of the base fuel by 3 to 6 numbers, which greatly improves combustion, increases performance and power, and reduces emissions.

**PN° TM1256 32 FL. OZ. (946 ML) BOTTLE**



## DIESEL FUEL MULTI-TREATMENT

TerraMotus Diesel Fuel Multi-Treatment is a premium winter time diesel fuel protection and fuel quality enhancer. Using advanced technology that modifies wax crystals into shapes that will more easily pass through modern fuel filters. It also contains anti-icing inhibitor which lowers the freezing point of water.

TerraMotus Diesel Fuel Multi-Treatment keeps fuel liquid and flowing in cold weather, even after prolonged cold spells.

**PN° TM1251 32 FL. OZ. (946 ML) BOTTLE**



## DIESEL EMISSIONS CLEANER

TerraMotus Diesel Emissions Cleaner is designed to remove carbon deposits from the EGR and Induction Systems. Our advanced formula reduces regeneration cycles, lowers emissions and smooths rough idles.

The EGR system of a diesel engine will accumulate carbon deposits. These deposits can negatively affect the performance of an engine. TerraMotus Diesel Emissions Cleaner removes these deposits, restoring the fuel economy and performance of your engine.

**PN° TM1280 32 FL. OZ. (946 ML) BOTTLE**



## UFT UNIVERSAL FUEL TREATMENT

TerraMotus UFT Universal Fuel Treatment is a premium quality fuel treatment which boosts the performance and stability of any fuel it is added to yield maximum engine performance, fuel economy, emissions reduction, wear protection, and fuel storage stability, for all types of engines.

PN° TM1281 32 FL. OZ. (946 ML) BOTTLE



## DIESEL EMISSIONS CLEANER

TerraMotus Diesel Emissions Cleaner is designed to remove carbon deposits from the EGR and Induction Systems. Our advanced formula reduces regeneration cycles, lowers emissions and smooths rough idles. The EGR system of a diesel engine will accumulate carbon deposits. These deposits can negatively affect the performance of an engine. TerraMotus Diesel Emissions Cleaner removes these deposits, restoring the fuel economy and performance of your engine.

PN° TM1279 1 GAL. (3.78 L) JUG



## UFT UNIVERSAL FUEL TREATMENT



TerraMotus UFT Universal Fuel Treatment is a premium quality fuel treatment which boosts the performance and stability of any fuel it is added to yield maximum engine performance, fuel economy, emissions reduction, wear protection, and fuel storage stability, for all types of engines.

PN° TM1282 1 GAL. (3.78 L) JUG



# DIESEL FUEL KITS



## DIESEL FUEL KIT MINOR

TerraMotus Diesel Kit Minor is a premium winter time diesel fuel protection and fuel quality enhancer kit. Using advanced technology that modifies wax crystals into shapes that will more easily pass through modern fuel filters.

It also contains anti-icing inhibitors which lowers the freezing point of water. Boost the performance and stability of any diesel fuel it is added to.

Diesel fuel treated, yields maximum engine performance, fuel economy, emissions reduction, wear protection and fuel storage stability, for all types of diesel engines



PN° TM1265 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE

## DIESEL FUEL KIT MAJOR

TerraMotus Diesel Kit Major is a premium winter time diesel fuel protection and fuel quality enhancer and emission cleaner kit. Using advanced technology that modifies wax crystals into shapes that will more easily pass through modern fuel filters. It also contains anti-icing inhibitors which lowers the freezing point of water. Boost the performance and stability of any diesel fuel it is added to. Diesel fuel treated, yields maximum engine performance, fuel economy, emissions reduction, wear protection and fuel storage stability, for all types of diesel engines.




PN° TM1295 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE  
32 FL. OZ. (946 ML) BOTTLE





# COOLING PRODUCTS

RESTORE COOLING SYSTEM EFFICIENCY



## COOLING SYSTEM CLEANER

TerraMotus Cooling System Cleaner removes built-up scale and harsh mineral deposits that have formed in the coolant system. It removes tough residues caused by coolant inhibitor breakdown.

Cleans heat transfer surfaces and removes corrosion products, such as rust and scale, to restore proper cooling capacity in the system.

PN° TM2210 10 FL OZ. (296 ML) BOTTLE



## COOLING SYSTEM TREATMENT

Cooling System Treatment is a unique formulation that restores coolant to its peak level of protection. It is designed for use in conventional, long life, hybrid, heavy duty and diesel coolants.

It helps to promote more efficient heat transfer, restores critical additive balance, proper coolant pH and provides protection against foaming and metallic corrosion.

PN° TM2220 10 FL OZ. (296 ML) BOTTLE



# COOLANT KITS



## COOLANT KIT

TerraMotus Coolant Kit removes built-up scale and harsh mineral deposits that have formed in the coolant system. It removes tough residues caused by coolant inhibitor breakdown.

Cleans heat transfer surfaces and removes corrosion products, such as rust and scale, to restore proper cooling capacity in the system. It helps to promote more efficient heat transfer, restores critical additive balance, proper coolant pH and provides protection against foaming and metallic corrosion.


PN° TM2200 10 FL. OZ. (296 ML) BOTTLE  
10 FL. OZ. (296 ML) BOTTLE





# HVAC & CABIN PRODUCTS

## FRESHEN & CLEAN CABIN AIR



## TERRA HVAC AC TUNE-UP & LEAK DETECTOR

TerraMotus Terra HVAC AC Tune-Up & Leak Detector is formulated to quickly detect leaks, ensures quieter compressor operation, enhance cooling and prolongs compressor life.

Heat stress has a devastating impact on the performance of the compressor lubricant. Most refrigerant lubricants suffer from inherent moisture absorption and breakdown due to heat.

PN° TM3220 2.5 OZ. (73.9 ML) AEROSOL



## HVAC + INTERIOR ULTRASONIC CLEANING SOLUTION

TerraMotus HVAC + Interior UltraSonic Cleaning Solution is a technologically advanced next-generation HVAC cleaning system.

It has many potential applications because of its natural components and ability to treat Mold, Mildew, Bacteria and odor. It is designed to be used in vehicle cabins and throughout the HVAC system. It requires no rinsing or wiping.

PN° TM3261 5 FL OZ. (147 ML) BOTTLE







## EVAPORATOR CLEANER

TerraMotus Evaporator Cleaner removes accumulated bacteria, mold, spores, road grime and debris and restores heating/cooling efficiency. This debris can build up in the ventilation system and collect moisture.

As a result, mold spores, bacteria and fungi are forced into the passenger compartment every time the heater or A/C is turned on. These contaminants can cause health issues such as allergies, asthma, respiratory infection and illness.

**PN° TM3808 18 OZ. (532 ML) AEROSOL**



## HVAC DISINFECTANT & EVAPORATOR CLEANER KIT

TerraMotus HVAC Disinfectant & Evaporator Cleaner Kit is a technologically advanced all-in-one cleaning solution for your evaporator core and HVAC system.

Our system has many potential applications because of its natural components and ability to treat Mold, Mildew, Bacteria and odor. It is designed to be used in vehicle cabins and throughout the HVAC system. It requires no rinsing or wiping.

**PN° TM32613808 18 OZ. (532 ML) AEROSOL  
5 FL. OZ. (127 ML) BOTTLE**

## AC TUNE-UP & DISINFECTANT KIT



TerraMotus AC Tune-up & Disinfectant Kit is a highly advanced next-generation HVAC cleaning system. It has many potential applications because of its natural components and ability to treat Mold, Mildew, Bacteria and odor.

It is designed to be used in vehicle cabins and throughout the HVAC system. It requires no rinsing or wiping. Quickly detect leaks, ensures quieter compressor operation, enhance cooling and prolongs compressor life.

**PN° TM32203261 2.5 OZ. (73.9 ML) AEROSOL  
5 FL. OZ. (127 ML) BOTTLE**

## PROTECT FROM AIR BORN PARTICLES



DIRT

MOLD

FUNGUS

MILDEW


GREASE



# TRANSMISSION PRODUCTS

## RESTORE POWER & EFFICIENCY

TerraMotus carries a full range of transmission products for your vehicle.



## AUTOMATIC TRANSMISSION CLEANER

TerraMotus Automatic Transmission Cleaner is a technologically advanced chemical carefully balanced to help clean and protect internal surfaces with a low-friction lubricating film.

Removes accumulated deposits that form throughout the oil/fluid passageway system to help improve fluid circulation. Boosts the transmission fluid resistance to corrosion and wear of vital parts.

PN° TM4210 12 FL. OZ. (355 ML) BOTTLE



## AUTOMATIC TRANSMISSION TREATMENT

A special additive to provide extra lubrication protection to automatic transmissions. Added to new and remaining transmission fluid left behind in the torque converter after a drain and refill service.

Helps prevent deposit formation and fluid oxidation. Helps prevent transmission shudder and shifting problems and prevent transmission leaks by keeping seals soft and pliable. Helps prevent transmission failure.

PN° TM4220 12 FL. OZ. (355 ML) BOTTLE





## SYNTHETIC CVT FLUID

TerraMotus Synthetic CVT Fluid is a technologically advanced chemical blend of API Group III base oils with top-tier additives to meet or exceed OEM test specification performance requirements. It is excellent for use in both belt and steel chain type CVT's.

Having excellent oxidation and sludge resistance, it also has a 12-Stage FZG Gear Test pass, which contributes to excellent wear protection in steel chain type CVT's. It is excellent for use in either torque converter clutches or wet start clutches.

PN° TM4285 32 FL. OZ. (946 ML) BOTTLE



## AUTOMATIC TRANSMISSION FLUID

TerraMotus Automatic Transmission Fluid is a premium quality, high performance formulation of 100% synthetic base oils and a sophisticated additive package that meets or exceeds the performance, protection and service requirements of virtually all makes and models of automatic transmission manufactured worldwide. It may also be used for power steering units and hydraulic systems.

TerraMotus Automatic Transmission Fluid may be used as a fluid top-off, or for drain-and-fill or flush-and-fill installation. Flush-and-fill provides the greatest benefit as essentially all fluid is replaced.

PN° TM4201 1 GAL. (3.78 L) JUG



## TRANSMISSION KIT



TerraMotus Automatic Transmission Kit is a technologically advanced chemical carefully balanced to help clean and protect internal surfaces with a low-friction lubricating film.

A special additive to provide extra lubrication protection to automatic transmissions. Added to new and remaining transmission fluid left behind in the torque converter after a drain and refill service.

PN° TM4200 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE





# DRIVELINE PRODUCTS

## RESTORE & PROTECT DRIVELINE

TerraMotus carries a full range of driveline products for your vehicle.



### 75W-140 FULL SYNTHETIC GEAR OIL

TerraMotus Full Synthetic Gear Oils provides superior lubrication and protection for gears. Is a synthetic (Polyalphaolefin) API GL-5 rated gear oil blended to SAE 75W-140 viscosity. It satisfies all requirements for posi-traction and limited slip hypoid gears.

TerraMotus Synthetic Gear Oils are formulated for unsurpassed durability by providing improved seal conditioning, quieter operation and dependable protection. Its unique EP package provides the best in protection against pitting, scoring and wear.

PN° TM4240 32 FL. OZ. (946 ML) BOTTLE



### 75W-90 FULL SYNTHETIC GEAR OIL

TerraMotus Full Synthetic Gear Oils provides superior lubrication and protection for gears. Our product is a synthetic (Polyalphaolefin) API GL-5 rated gear oil blended to SAE 75W-90 viscosity.

Formulated for unsurpassed durability by providing improved seal conditioning, quieter operation and dependable protection. Its unique EP package provides the best in protection against pitting, scoring and wear.

PN° TM4240 32 FL. OZ. (946 ML) BOTTLE





## SYNTHETIC TRANSFER CASE & MANUAL TRANSMISSION FLUID

TerraMotus Synthetic Transfer Case & Manual Fluid is a fully synthetic gear and transmission lubricant with unique frictional properties and superior anti-wear protection. It was developed for applications in Europe, North America and South America; meeting current and future OEM requirements for commercial vehicles.

Our advanced formula improves pitting performance resulting in longer component life. It significantly lowers axle running temperatures compared with alternate technologies to improve axle efficiency.

**PN° TM4280 32 FL. OZ. (946 ML) BOTTLE**



## DIAMOND NANO EXTREME PRESSURE LUBRICANT

Gear oils can deteriorate as they are exposed to heat and oxidization. This deterioration can lead to expensive damage to differentials, manual transmissions and transfer cases.

TerraMotus Diamond Nano Extreme Pressure Lubricant with Diamond Nano-Lube Technology guards against the break-down of gear oil. It contains extreme

pressure and anti-wear agents that ensure the components are protected against premature wear, which extends the life of your customer's vehicles.

**PN° TM4250N 6 FL. OZ. (177 ML) TUBE**



## LIMITED SLIP ADDITIVE



TerraMotus Limited Slip Additive improves the heat transfer and thermal stability of gear oil, which improves component life.

It eliminates the chatter that is associated with limited slip applications and improves performance in heavy duty applications.

**PN° TM4255 6 FL. OZ. (177 ML) TUBE**





# BRAKE PRODUCTS

## RESTORE BRAKE PERFORMANCE

TerraMotus carries a full range of driveline products for your vehicle.



## DOT 4 BRAKE FLUID

TerraMotus DOT 4 Brake Fluid provides a variety of vital functions in the braking system.

It transmits the required power, minimizes corrosion, lubricates and controls proper seal swelling over a wide range of temperatures.

Our product features a Minimum Dry Boiling Point (ERBP) of 446° F.

PN° TM5220 32 FL. OZ. (946 ML) BOTTLE



### TECHNICAL DATA

API Gravity	1.05
Weight Lbs/Gallon	8.70
Wet Boiling Point (ERBP)	284° F
Dry Boiling Point (ERBP)	401° F
Viscosity cST at 40° C (Min)	1800
Viscosity cST at 100° C (Max)	1.5
PH	7.0 - 11.5
Color	Amber

ERBP = Equilibrium Reflux Boiling Point\*





# DOT 3 BRAKE FLUID

TerraMotus DOT 3 Brake Fluid provides a variety of vital functions in the braking system. It transmits the required power, minimizes corrosion, lubricates and controls proper seal swelling over a wide range of temperatures.

Our product features a Minimum Dry Boiling Point (ERBP) of 401° F and is an enhanced fluid over DOT 3 and mixes with all DOT 3 approved brake fluids. Our fluid is designed for use in disc, drum and ABS brake systems.


## PN° TM5230 32 FL. OZ. (946 ML) BOTTLE



### TECHNICAL DATA

API Gravity	1.05
Weight Lbs/Gallon	8.70
Wet Boiling Point (ERBP)	284° F
Dry Boiling Point (ERBP)	401° F
Viscosity cST at 40° C (Min)	1800
Viscosity cST at 100° C (Max)	1.5
PH	7.0 - 11.5
Color	Amber

ERBP = Equilibrium Reflux Boiling Point\*



# WHAT IS BRAKE FLUID?

## FACTS & HISTORY

The main fundamental function of your brake fluid is to transfer the force of your foot to your braking system with hydraulic assistance to safely stop your vehicle.

This high hydraulic pressure can cause extreme heat and condensation to form in your brake system that can lead to brake failure which is why it is important to choose the correct



## SECONDARY FUNCTION

The secondary function of your brake fluid is to lubricate your braking system with special additives to ensure components don't stick and wear prematurely.

Check your owner's manual to insure proper fluid type and never use non-brake fluid.

## DOT FACTS

DOT stands for Department of Transportation. The DOT is the regulatory body responsible for interstate travel and vehicle safety in the United States. They ensure a standard quality for many automotive products and services including brake fluid for public safety.

The number that comes after DOT indicates the type of brake and its resistance to boiling with the higher number meaning greater resistance to boiling.



# ENGINE PRODUCTS

## RESTORE POWER & EFFICIENCY



## OIL SYSTEM CLEANER

TerraMotus Oil System cleaner is a technologically advanced chemical cleaner that is carefully balanced to help clean and protect internal surfaces with a low-friction lubricating film.

Removes accumulated deposits that form throughout the oil/fluid passageway system to help improve fluid circulation. Boosts the oil/ fluid's resistance to corrosion and wear of vital parts.

PN° TM6210 12 FL OZ. (355 ML) BOTTLE



## DIAMOND NANO OIL SYSTEM TREATMENT

TerraMotus Diamond Nano Oil System Treatment is a top-tier friction modifier that extremely reduces dynamic coefficient of friction in gasoline and diesel fueled engines. This non-metallic friction modifier enhances the performance of any oil it is added to, by creating a low-friction film at the metal-to-metal interfaces. By reducing energy loss, fuel economy is improved an average of 1.36%, and global carbon emissions are therefore reduced. Reduced friction effects also help eliminate wear and extend useful engine life.

PN° TM6220N 12 FL OZ. (355 ML) BOTTLE





## ENGINE SERVICE KIT

TerraMotus Engine Service Kit is a technologically advanced chemical cleaner that is carefully balanced to help clean and protect internal surfaces with a low-friction lubricating film. Removes accumulated deposits that form throughout the oil/fluid passageway system to help improve fluid circulation. Boosts the oil/ fluid's resistance to corrosion and wear of vital parts. TerraMotus Diamond Nano Oil System Treatment is a top-tier friction modifier that extremely reduces dynamic coefficient of friction in gasoline and diesel fueled engines.

PN° TM6200 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE



## FUEL + ENGINE KIT

Quickly and effectively blasts carbon deposits away from fuel injectors, intake ports and combustion chambers. TerraMotus Diamond Nano Oil System Treatment is a top-tier friction modifier that extremely reduces dynamic coefficient of friction in gasoline and diesel fueled engines. This non-metallic friction modifier enhances the performance of any oil it is added to, by creating a low-friction film at the metal-to-metal interfaces. By reducing energy loss, fuel economy is improved an average of 1.36%, and global carbon emissions are therefore reduced. Reduced friction effects also help eliminate wear and extend useful engine life.

PN° TM6201 12 FL. OZ. (355 ML) BOTTLE  
12 FL. OZ. (355 ML) BOTTLE




## WHAT IS DIAMOND NANO?

### FACTS & HISTORY

Nano Diamonds are one of the most advanced carbon materials in the world renowned for their superlative physical qualities.

Nano Diamonds are not only tiny-sized diamonds with the above physical strengths but they also generate other beneficial functions owing to their nano size, high dispersibility,  $\zeta$  potential and amorphous carbon molecule.



### PARTICLE PROPERTIES

#### NUMBER OF PARTICLES

The Nano Diamond particle is remarkably small, 4~6 nm (four to six billionths of one meter).

The particle size is 20 times smaller than a virus. It is invisible to the naked eye.

A Nano Diamond is the smallest diamond but an authentic one.

#### SPECIFIC SURFACE AREA

One of the greatest properties of nano materials is their specific surface area.

Nano Diamonds have far larger surface areas than larger diamonds of equal mass.



# STEERING PRODUCTS

## STEERING SYSTEM PRODUCTS

The power steering system is an integral part of the handling and safety of your vehicle that is regularly put through extreme pressures and temperatures over its service life. Fight these extremes with our state of the art additives that condition seals to prevent leaks while preventing sticking of parts and premature wear. Keep your steering system operating smoothly and quietly with our full range of state of the art power steering products.



## MULTI-SYSTEM CLEANER

TerraMotus Multi-System Cleaner is a technologically advanced chemical carefully balanced to help clean and protect internal surfaces with a low-friction lubricating film.

Removes accumulated deposits that form throughout the oil/fluid passageway system to help improve fluid circulation. Boosts the oil/ fluid's resistance to corrosion and wear of vital parts.

PN° TM7210 8 FL OZ. (236 ML) BOTTLE



## AMBER SYNTHETIC

TerraMotus Amber Synthetic Power Steering Fluid (Amber-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

PN° TM7220 64 FL OZ. (1.89 L) BOTTLE





# STEERING PRODUCTS

## POWER STEERING PRODUCTS CONTINUED

The power steering system is an integral part of the handling and safety of your vehicle that is regularly put through extreme pressures and temperatures over its service life. Fights these extremes with our state of the art additives that conditions seals to prevent leaks while preventing sticking of parts and pre-mature wear. Keep your steering system operating smoothly and quietly with our full range of state of the art power steering products and convenient steering kits.



### RED SYNTHETIC

TerraMotus Red Synthetic Power Steering Fluid + Conditioner (Red-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

**PN° TM7230 64 FL. OZ. (1.89 L) JUG**



### GREEN SYNTHETIC

TerraMotus Green Synthetic Power Steering Fluid + Conditioner (Green-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold.

Special anti-wear agents help prevent abrasion of spool valve housings and other components. Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

**PN° TM7235 64 FL. OZ. (1.89 L) JUG**



### HONDA ACURA TYPE

TerraMotus Honda Acura Type Power Steering Fluid (Amber-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

**PN° TM7265 64 FL. OZ. (1.89 L) JUG**



# STEERING KITS

## AMBER POWER STEERING KIT



TerraMotus Amber Synthetic Power Steering Kit (Amber-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

PN° TM7200 64 FL. OZ. (1.89 ML) BOTTLE  
8 FL. OZ. (236 ML) BOTTLE



## GREEN POWER STEERING KIT

TerraMotus Green Synthetic Power Steering Kit (Green-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

PN° TM7250 64 FL. OZ. (1.89 ML) BOTTLE  
8 FL. OZ. (236 ML) BOTTLE



## RED POWER STEERING KIT



TerraMotus Red Synthetic Power Steering Kit (Red-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

PN° TM7240 64 FL. OZ. (1.89 ML) BOTTLE  
8 FL. OZ. (236 ML) BOTTLE



## HONDA ACURA TYPE POWER STEERING KIT

TerraMotus Honda Acura Type Power Steering Kit (Amber-colored) has superb performance in extreme temperatures, resisting thinning in hot weather, and thickening in the cold. Special anti-wear agents help prevent abrasion of spool valve housings and other components.

Powerful antioxidants inhibit fluid breakdown and extend useful life and lubricity of the fluid. Seal conditioners keep seals pliable, preventing fluid leaks.

PN° TM7260 64 FL. OZ. (1.89 ML) BOTTLE  
8 FL. OZ. (236 ML) BOTTLE





# BATTERY PRODUCTS

## BATTERY PRODUCTS

TerraMotus Battery Terminal Cleaner + Leak Detector Kit for proper battery maintenance and year round cold cranking performance.



## BATTERY TERMINAL CLEANER + LEAK DETECTOR

TerraMotus Battery Terminal Cleaner + Leak Detector removes corrosion from battery terminals and cables. It neutralizes exterior battery acid, assures maximum battery performance and provides proper current flow.

It also prevents damage to cable and terminals, prolongs battery life and eliminates and detects power leaks. Color changes then indicate complete acid neutralization. Flushes away easily with water.

PN° TM8200 2 FL. OZ. (59 ML) BOTTLE





# SPECIALTY PRODUCTS

## SPECIALTY NEEDS PRODUCTS

TerraMotus carries a full range of specialty aerosol products to keep your vehicle running smoothly and quietly.



## TM180 PENETRATING LUBRICANT

TerraMotus Penetrating Spray Lubricant is an industry-leading product that protects all types of metal surfaces from rust, corrosion and oxidation.

Metal surfaces will rust, corrode or oxidize when exposed to environmental conditions, such as moisture, pollutants and even air, if not properly protected with some form of protective coating.

PN° TM180 12 OZ. (355 ML) AEROSOL



## AIR INTAKE CLEANER

TerraMotus Air Intake Cleaner is a powerful blend of detergents and solvents for rapid break down and removal of sludge, varnish, and gum deposits from fuel delivery systems on all gasoline fueled engines. "Sensor Safe"

PN° TM1285 4 FL. OZ. (118 ML) AEROSOL



# LIFETIME PROTECTION PLAN

This Plan is an added benefit when qualified TerraMotus services are purchased. All services must be performed by a professional technician at a licensed service center using an approved TerraMotus maintenance procedure with proper TerraMotus products and equipment.

## PLAN A

VEHICLES WITH 0-50,000 MILES (0-80,000KM)  
\$4000 USD or \$5000CAD  
\*\*\*\$5000 USD OR \$6,000 CAD For Nano Engine

## PLAN B

VEHICLES WITH 50,001-100,000 MILES  
(80,001 -160,000KM)  
\$2000USD or \$2500CAD  
\*\*\*\$2500 USD OR \$3,000 CAD For Nano Engine



Engine oil grade and weight must meet vehicle manufacturer's recommendations. Timing belt and air and oil filter must be replaced and emission control system maintained in accordance with vehicle manufacturer's recommendations. To remain eligible, return to a TerraMotus shop to have service performed within required service interval. All TerraMotus products must be applied in accordance with stated directions for use.

SERVICE INTERVAL	ENGINE SYSTEM SERVICE   GASOLINE & DIESEL
OEM Oil change Interval to a Maximum of 1 year (whichever occurs first) <b>QUALIFYING PRODUCTS</b> TM6220N	<b>MAXIMUM COVERAGE</b> PLAN A - \$5000 (\$6000 CAD)   PLAN B \$2500 (\$3000 CAD) Pistons and rings (oil consumption not covered), wrist pins and bushings, rods and rod bearings, camshafts and bearings, pushrods, intake valves and guides (grinding adjustments excluded), turbo bearings, crankshaft and bearings, cylinder liners or bores, valve lifters, timing chains (stretched timing chains are excluded) (timing belts and damage to engine parts due to broken timing belts excluded), rocker arms and pivots, oil pump, timing gears or sprockets, distributor drive gear.
SERVICE INTERVAL	ENGINE & FUEL SYSTEM SERVICE   GASOLINE
OEM Oil change Interval to a Maximum of 1 year (whichever occurs first) <b>QUALIFYING PRODUCTS</b> TM6220N & TM1235 or TM6201	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Pistons and rings (oil consumption not covered), wrist pins and bushings, rods and rod bearings, camshafts and bearings, pushrods, intake valves and guides (grinding adjustments excluded), turbo bearings, crankshaft and bearings, cylinder liners or bores, valve lifters, timing chains (stretched timing chains are excluded) (timing belts and damage to engine parts due to broken timing belts excluded), rocker arms and pivots, oil pump, timing gears or sprockets, distributor drive gear. Also covers Oxygen sensors, PCV, injectors (deposit-related malfunctions only) for gasoline.
SERVICE INTERVAL	ENGINE & FUEL SYSTEM SERVICE   DIESEL
OEM Oil change Interval to a Maximum of 1 year (whichever occurs first) <b>QUALIFYING PRODUCTS</b> TM6220N & TM1250 OR TM6201D	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Pistons and rings (oil consumption not covered), wrist pins and bushings, rods and rod bearings, camshafts and bearings, pushrods, intake valves and guides (grinding adjustments excluded), turbo bearings, crankshaft and bearings, cylinder liners or bores, valve lifters, timing chains (stretched timing chains are excluded) (timing belts and damage to engine parts due to broken timing belts excluded), rocker arms and pivots, oil pump, timing gears or sprockets, distributor drive gear. Also covers Oxygen sensors, PCV, injectors (deposit-related malfunctions only) for diesel.
SERVICE INTERVAL	FUEL SYSTEM SERVICE   GASOLINE
OEM Oil change Interval to a Maximum of 1 year (whichever occurs first) <b>QUALIFYING PRODUCTS</b> TM1235	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Oxygen sensors, PCV, injectors (deposit-related malfunctions only) for gasoline.
Maximum 30,000 Miles or 50,000 KM <b>QUALIFYING PRODUCTS</b> TM1210 & TM1220 OR TM1410 & TM1420 OR TM1425 & TM1235 OR TM1210P & TM1220P	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Oxygen sensors, PCV, injectors (deposit-related malfunctions only) for gasoline.
SERVICE INTERVAL	AUTOMATIC TRANSMISSION
Maximum 30,000 Miles or 50,000 KM <b>QUALIFYING PRODUCTS</b> TM4210 & TM4220 & TM4201	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Lubricated parts within the transmission housing or case only when damaged by an internally lubricated part covered under this Plan. Not covered: Leaking transmission seals and gaskets; electrical components, such as solenoids.
<b>QUALIFYING PRODUCTS</b> TM4210 & TM4220	<b>MAXIMUM COVERAGE</b> PLAN A - \$2000 (\$2500 CAD)   PLAN B \$1000 (\$1500 CAD) Lubricated parts within the transmission housing or case only when damaged by an internally lubricated part covered under this Plan. Not covered: Leaking transmission seals and gaskets; electrical components, such as solenoids.
SERVICE INTERVAL	CVT TRANSMISSION
Maximum 30,000 Miles or 50,000 KM <b>QUALIFYING PRODUCTS</b> TM4210, TM4220 & TM4285	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Lubricated parts within the transmission housing or case only when damaged by an internally lubricated part covered under this Plan. Not covered: Leaking transmission seals and gaskets; electrical components, such as solenoids. Eligibility begins with model year 2014.
SERVICE INTERVAL	BRAKES SERVICE
Maximum 30,000 Miles or 50,000 KM <b>QUALIFYING PRODUCTS</b> TM5220 or TM5230	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Lubricated parts contained within the pump, valves, master cylinder, calipers, and metalized hoses when hose failure results from internal corrosion. Not covered: Brake system seals & gaskets, Pads, rotors, shoes, ABS sensors, controller or other electrical parts.
SERVICE INTERVAL	COOLANT SERVICE
Maximum 30,000 Miles / 50,000 KM or 50,000 Miles / 80,000 KM (With Longlife Coolant) <b>QUALIFYING PRODUCTS</b> TM2210 & TM2220	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Heater core, water pump, freeze plugs & radiator. Not covered: Hoses, clamps, thermostats & engine components. Note: Use with OEM compliant coolant.

SERVICE INTERVAL	DRIVELINE SERVICE
Maximum 30,000 Miles or 50,000 KM <b>QUALIFYING PRODUCTS</b> TM4280 FOR MANUAL TRANSMISSIONS/TRANS AXLES OR TRANS CASES TM4240, TM4290 or TM4250, TM4255 IN CONJUNCTION WITH VEHICLE'S OEM SPECIFIC DIFFERENTIAL FLUID	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Lubricated parts contained within the differential housing, transfer case or transmission case. Not covered: The housing or case, axle(s), pre-packed axle bearing(s), U-joint(s), CV joint(s), CV boot(s), driveshaft(s), case, flywheel, clutch plate, and pressure plate unless damaged due to the failure of a covered part.
SERVICE INTERVAL	POWER STEERING SERVICE
Maximum 30,000 Miles or 50,000 KM <b>QUALIFYING PRODUCTS</b> TM7220, TM7230, TM7235, TM7265 *CAN BE USED WITH MULTI SYSTEM CLEANER TM7210*	<b>MAXIMUM COVERAGE</b> PLAN A - \$4000 (\$5000 CAD)   PLAN B \$2000 (\$2500 CAD) Lubricated parts contained within the power steering gearbox or rack and power steering pump. Not covered: Hoses, belts, brackets seals and leaking gaskets.

### SCOPE

SCOPE: This Plan does not extend a vehicle manufacturer's warranty and will take effect after the OEM warranty expires. However, TerraMotus Solutions, Inc., will pay your deductible amount under any extended service contract purchased by you. It is subject to the terms and conditions contained herein. Only Plan B takes effect 1200 km (750 miles) after the first TerraMotus service(s) has been performed by a professional technician. A grace period of 800 km (500 miles) will be extended in order to stay within service interval compliance, including initial service of Plan B only.

### COVERAGE

COVERED: Payment of claims under this Plan is limited to the labor time necessary to make repairs or to replace any irreparably damaged parts as allocated by Mitchell Flat Rate Guide or other industry accepted flat rate guide, multiplied by the commercial repair shop's hourly labor rate, plus the reasonable cost of replaced parts of like kind and quality at the administrator's discretion.

### CONDITIONS & EXCLUSIONS

MINIMUM QUALIFICATION: Any component must be serviced with TerraMotus product within a maximum of 7 years to maintain the program coverage regardless of the above mileage requirements to maintain the program coverage. If the vehicle odometer has been changed or altered, or if the odometer has ceased to function, coverage under the terms of this Plan is not in effect.

CONDITIONS & EXCLUSIONS: This Plan covers only legally registered passenger cars, vans, SUVs, and pick-up trucks with a GVW of 14,000 pounds (6,300 kg) or less. Motorcycles, RVs, and vehicles with more than two axles are excluded. Vehicles used for competitive purposes are excluded. Vehicle repairs included in a NHTSA or manufacturer-issued recall or TSB will not be covered by this Plan. This Plan excludes in-house maintenance/repair facilities. In the case of a leased vehicle, the lessee must be primarily obligated for repairs and maintenance. If the covered vehicle is used for towing a trailer or other vehicle or object, this Plan is not in effect unless the covered vehicle is equipped with factory-installed tow package.

Any claim resulting from collision, fire, theft, vandalism, contamination of fluids, acts of God, misuse, abuse, negligence, damage caused by operation during component failure, aftermarket modification which affects the component specified in the claim, or lack of normal maintenance required by vehicle manufacturer renders this Plan null and void. Pre-existing conditions and damage to system components prior to the service are excluded and may be verified through independent parts analysis at the discretion of TerraMotus Services, Inc. Also excluded are "Washed," "Branded," Salvage or Junk listed vehicles and services performed as a demonstration or as complimentary services. Failure to furnish all necessary records will render this Plan null and void. This is a retail service customer retention program.

### CLAIMS & PROCEDURES

VISIT [WWW.TERRAMOTUS.COM/CLAIMS](http://WWW.TERRAMOTUS.COM/CLAIMS) FOR MORE DETAILS\*

## TERMS & CONDITIONS

This Plan is transferable if vehicle ownership changes. TerraMotus Solutions, Inc., is not responsible for incidental or consequential damages. It will apply only to authorized repairs made for vehicles operated in the United States of America or Canada. This document may not be modified. The terms and conditions contained within may be subject to change without notice. TerraMotus Solutions, Inc. reserves the right to verify up to 24 months of service history when processing a claim. This Warranty does not cover rental vehicle cost incurred during repair or replacement of a covered component. One payable claim per service interval, per system, is permitted.





# TERRAMOTUS EQUIPMENT

## COMPLETE AUTOMOTIVE SERVICE EQUIPMENT SOLUTIONS

TerraMotus carries automotive service equipment for from dismantle free cleaners to automatic fluid exchange machines. Keep your vehicle running safe and smooth with our full range of professional equipment.

\*Ask us for more details.\*



## TOTAL FUEL SYSTEM PURGE & DCARB

Save time and money with the Total Fuel System Purge & DCarb. No need to take a part the fuel system with our dismantle free cleaning system.

Problems solve weak acceleration and engine rpm issues with the easy to use adjustable pressure sprayer and easy to read LCD screen.

### PN° TM200 DISMANTLE FREE CLEANER



## DIESEL FUEL SERVICE

Allows for easy and complete cleaning of injectors and fuel system. This service restores fuel economy while lowering exhaust opacity and harmful emissions.

A fast and efficient service to thoroughly clean and eliminate EGR deposits, removes carbon build up from the EGR coolers, valves, turbos and variable vein turbos. Helps keep DPF/SCR clean to avoid costly EGR, EGR Cooler, Valve and EGR Manifold system repairs while lowering exhaust emissions.

### PN° DFS 210 2 TANKS



## COOLANT SERVICE

The RCS-541 reverse flush machine works with all our flushing and conditioning chemicals. Integrated mixing valve for easy mixing of water and glycol.

The RCS-541 connects to the vehicle cooling system while cool and not under pressure for ease of use. Finish your flush in minutes.

### PN° RCS 541 | 2 TANKS (37 L/40 QUART/10 GAL)







## TRANSMISSION SERVICE

The Automatic Transmission Service ATS 320E incorporates the latest micro-computer technology available today. This makes it the easiest and most accurate Automatic Transmission machine on the market. It calculates the total flow of the used ATF fluid being pumped out from the transmission and simultaneously pumps in the exact amount of new ATF fluid into the transmission.

This process eliminates any possibility of over-filling the transmission. Since it does not restrict the flow of the return line on the transmission this results in a faster exchange of fluid with minimal mixing of fluids.

**PN° ATS 320E | 2 TANKS (26 L/30 QUART/7.5 GAL)**



## BRAKE SERVICE

This BFS 125 brake machine is new and using the a Venturi Vacuum system. Saving costs on replacing pumps and motors.

Easy to use with one of the many adapters provided to fit most manufactured vehicles.

Our machine is made with a chemical resistance powder epoxy paint to help with-stand brake fluid that it may come in contact with.

**PN° BFS 125 | 2 TANKS (1.89 L NEW / 9.46 L USED)**



## DIFFERENTIAL SERVICE

The Differential Fluid Service DFX 410 is designed to service differential cases, manual transmissions and 4 wheel drive transfer cases.

The machine works on shop air only, therefore there are no pumps or moving parts to break or clog up. The exchange process is extremely fast taking only a few minutes to accomplish. The Differential Fluid Service DFX 410 has two 8 qt/Lit fluid tanks making it very versatile for using different fluids.

**PN° DFX 410 | 2 NEW TANKS 1 USED TANK**



## POWER STEERING SERVICE

The power steering system is one of the most neglected areas in a vehicle. In order to function properly, regular maintenance is required. In time the power steering fluid becomes contaminated and loses its ability to lubricate effectively. This results in metal to metal wear, which then contaminates the system with metallic debris. This in turn leads to leaks, pump noise, and mechanical failure. The PSF 214 is designed to flush out the old contaminated fluid and replace it with new power steering fluid.

**PN° PSF 214 | 5 GAL 20 L TANKS**





# 2021



**TERRAMOTUS.COM**



TerraMotus Solutions, Inc.  
Phone 604-946-7020  
204-7188 Progress Way  
Delta BC, Canada  
V4G 1M6

